

INTRODUCTION:

HDMI Over Gigabit IP Extender multicasts digital video and audio signals to one or more receivers up to 330 feet away over a 1000Base-T Gigabit Network connected with CAT5e/6 cable.

Each Low-Cost HDMI Over Gigabit IP Extender consists of a local unit that connects to an HDMI source, and a remote unit that connects to an HDMI display.

The local and remote units can be connected together for a Point-to-Point connection via CATx or a Point-to-Many connections via a network switch.

BRAND: PRITECH
PART CODE: PA-IPHD-LC



FEATURES:

- ❖ Supports HDTV resolutions to 1080p.
- ❖ Ideal solution for digital signage applications.
- ❖ Broadcast real-time HDMI video and audio signals to multiple display locations with a managed or unmanaged (also known as non-managed) network switch.
- ❖ Transmits an HDMI signal over one CAT5e/6 cable.
- ❖ Plug-and-Play installation allows receivers to find the transmitters automatically on the same subnet. (Network configuration may be required for managed network switch.)
- ❖ Web interface for changing IP addresses, firmware updates and resetting units to factory default settings.
- ❖ Easily expandable. Add remote units as you add monitors.
- ❖ Inexpensive CAT5e/6 cable replaces bulky video cables.
- ❖ Supports 10/100/1000 Ethernet connection.

P

R

I

T

DIAGRAM: POINT-TO- MULTI POINT CONNECTION





DIAGRAM: POINT-TO- POINT CONNECTION



E

C

H



SUPPORT@PRITECHAUTOMATION.COM

WWW.PRITECHAUTOMATION.COM

+91-79-27702711 / 8849795580

