

USB C Multiport Video Adapter - 4K 60Hz UHD Portable 5-in-1 USB Type C to HDMI 2.0, Mini DisplayPort, VGA or DVI (1080p) - 95W PD Passthrough - Cable Management - Aluminum

**Product ID:** CDPVDHMDPDP



This USB-C multiport video adapter offers a portable solution for connecting your USB Type-C laptop to a VGA, DVI, HDMI or Mini DisplayPort (mDP) display. It features USB Power Delivery, so you can power your laptop while outputting video using the same USB-C port.

This USB-C adapter supports USB Power Delivery up to 95 watts and features an additional USB-C port. You can charge your laptop using its USB-C power adapter, even while you output video. Many laptops support charging through a USB-C port with Power Delivery, check your specifications to confirm compatibility.

Carry one adapter instead of four. This versatile 4-in-1 monitor adapter lets you connect your USB-C laptop to any display. With its durable aluminum enclosure and a magnetic retainer that secures the breakout cable in place while you're not using it, the adapter is rugged enough to carry in your travel bag.

The HDMI and mDP outputs support UHD 4K resolutions, providing four times the picture quality of high-definition 1080p. All of the outputs (HDMI, mDP, VGA, DVI) support high-definition resolutions up to 1920 x 1200. The adapter is compatible with USB-C DP Alt Mode devices.

The USB-C adapter has a Space Gray trim and built-in USB-C cable designed to match your Space Gray MacBook, or MacBook Pro.

CDPVDHMDPDP is backed by a StarTech.com 3-year warranty and free lifetime technical support.

## Certifications, Reports and Compatibility

### Applications

- Connect to virtually any display while traveling

- Connect a MacBook or USB-C laptop to a VGA, DVI, HDMI or mDP display
- Connect a secondary monitor to your Space Gray MacBook or USB-C laptop

## Features

- **5-IN-1 MULTIPORT USB-C VIDEO ADAPTER:** USB-C DP Alt Mode to any one of 4K 60Hz HDMI 2.0/mDP 1.2 or 1080p VGA/DVI with HDCP 2.2/1.4, Thunderbolt 3 compatible, 95W Power Delivery Pass-Through, Space Gray
- **95W PD 3.0 PASS-THROUGH:** Use a USB-C power adapter to charge laptop (Ultrabooks & workstations) up to 95W; prevents video drop/flickering when power is added/removed on PD 3.0 laptops like MacBook Pro
- **COMPATIBILITY:** USB-C display adapter for TB3 MacBook Pro/Air, Dell XPS/Precision/Latitude, Lenovo ThinkPad X1 Carbon/Extreme, Surface Laptop 3/Surface Book 3, HP EliteBook/Spectre/ZBook, Chromebooks
- **TESTED & VERIFIED:** USB Type-C adapter tested @ 4K 60Hz HDMI 2.0/Mini DisplayPort or 1080p VGA/DVI for compatibility w/ TVs, monitors & projectors like Dell, Asus, Acer, LG, Samsung, Sharp, Sony, Epson
- **EASY TO USE:** Durable aluminum space gray housing w/ magnetically-secured hideaway cable wrap; supports driverless plug-and-play setup, and is compatible with Windows / macOS / Linux / Chrome OS

---

### Hardware

Warranty	3 Years
Active or Passive Adapter	Active
AV Input	USB-C
AV Output	HDMI - 1.4
	DVI-I (Digital Only) - Single-Link
	VGA
	Mini DisplayPort - 1.2
Chipset ID	Parade - PS176
	VIA/VLI - VL102
	ITE -IT6516

---

### Performance

Video Revision	HDMI 2.0
	DisplayPort 1.2
Maximum Cable Distance To Display	49.9 ft [15.2 m]



Maximum Analog Resolutions	1920 x 1200 @ 60Hz
Maximum Digital Resolutions	4096 X 2160 @ 24Hz or 3840 X 2160 @ 60Hz (HDMI)
	4096 X 2160 @ 60Hz (mDP)
Supported Resolutions	Maximum HDMI output: 4096 X 2160 @ 24Hz or 3840 X 2160 @ 60Hz
	Maximum mDP output: 4096 X 2160 @ 60Hz
	Maximum DVI and VGA output: 1920 x 1200 @ 60Hz
	<i>Lower resolutions and refresh rates may also be supported</i>
Wide Screen Supported	Yes
Audio Specifications	HDMI - 7.1 Channel Audio
	DVI - No Audio Support
	VGA - No Audio Support
	Mini DisplayPort - 5.1 Channel Audio

---

**Connector(s)**

Connector A	USB-C (24 pin) DisplayPort Alt Mode
Connector B	Mini-DisplayPort (20 pin)
	VGA (15 pin, High Density D-Sub)
	DVI-I (29 pin)
	HDMI (19 pin)
	USB Type-C (24 pin) USB Power Delivery only

---

**Special Notes / Requirements**

Note	Only one video output is supported on the video adapter at a time, if multiple connections are made, only one of the outputs will function
------	--



Your laptop may have specific requirements for charging. This USB-C multiport adapter supports USB Power Delivery 3.0, up to 95W. When using your laptop's USB-C power adapter, the multiport adapter powers both the adapter and your laptop - with up to 85W charging available for laptop charging. For more information on your laptop's charging requirements, refer to the manufacturer of your laptop.

Maximum Cable Distance to Display refers to digital video. VGA distance capabilities are dependent upon the quality of your cabling

---

**Power**

Power Source	USB-Powered
Power Delivery	95W
Laptop Charging via Power Delivery	85W
Power Consumption (In Watts)	10W

---

**Environmental**

Operating Temperature	0C to 45C (32F to 113F)
Storage Temperature	0C to 60C (32F to 140F)
Humidity	0~95% RH

---

**Physical Characteristics**

Color	Black
Accent Color	Black & Space Gray
Material	Aluminum
Cable Length	4.0 in [10.1 cm]
Product Length	4.3 in [10.9 cm]
Product Width	2.2 in [57 mm]
Product Height	0.7 in [18 mm]
Weight of Product	4.5 oz [128 g]

---

**Packaging Information**

Package Length	6.9 in [17.5 cm]
----------------	------------------



Package Width	5.6 in [14.2 cm]
Package Height	1.2 in [30 mm]
Shipping (Package) Weight	7.7 oz [218 g]

---

**What's in the Box**

Included in Package	Travel A/V Adapter
---------------------	--------------------

---

***\*Product appearance and specifications are subject to change without notice.***

