

USB to DVI Adapter - 1920x1200

Product ID: USB2DVIE3



The USB2DVIE3 USB DVI Video Adapter offers a perfect external multi-monitor solution, enabling you to add a high-resolution (up to 1920x1200) external DVI output to your desktop or laptop computer system using an available USB 2.0 port.

A cost-effective solution for systems that lack the outputs required for a multi-monitor setup, this high-performance USB to DVI adapter can be used to mirror your primary display and show the same image on both screens, or extend your desktop to double your workspace.

This small form factor USB video adapter can be used with up to 4 additional (5 total) USB2DVIE3 USB video adapters, creating multiple DVI connections to add additional displays quickly and easily - all without having to open the computer case to add extra video cards.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

• Add a secondary display adapter and extend your desktop display without taking apart your computer to install a new video card

• Add multiple (up to five) monitors/projectors to your computer setup using one USB2DVIE3 device for each additional display

- View large or multiple spreadsheets that span multiple displays
- A compact, lightweight solution for traveling business associates using laptop PCs enabling connection to a secondary display



- Connect multiple monitors to a single computer to create engaging multimedia presentations
- Use the adapter to connect your PC to your television for showing family pictures and movies

• Increase productivity by running multiple applications on different screens, check your email on one display and work on a document in the other

• Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other

Features

- Supports resolutions up to 1920x1200
- Includes DVI to VGA Adapter and supports the use of DVI to HDMI adapters
- Works with desktop and laptop computers
- No power adapter required, easy installation

Hardware

naiuwaie	Warranty	2 Years
	AV Input	USB 2.0
	AV Output	DVI
	USB Pass-Through	No
	Memory	32MB
	Industry Standards	USB 2.0 Compliant
	Chipset ID	Trigger - T2-285B
Performance		
Performance	Supported Resolutions	Widescreen(16/32 bit):
Performance	Supported Resolutions	Widescreen(16/32 bit): 1920x1200, 1920x1080, 1680x1050, 1440x900, 1360x768, 1280x800, 1280x768, 1280x720
Performance	Supported Resolutions	1920x1200, 1920x1080, 1680x1050, 1440x900, 1360x768,
Performance	Supported Resolutions	1920x1200, 1920x1080, 1680x1050, 1440x900, 1360x768,
Performance	Supported Resolutions	1920x1200, 1920x1080, 1680x1050, 1440x900, 1360x768, 1280x800, 1280x768, 1280x720
Performance	Supported Resolutions	1920x1200, 1920x1080, 1680x1050, 1440x900, 1360x768, 1280x800, 1280x768, 1280x720 Standard(16/32 bit): 1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x864,



General Specifications	This USB video adapter uses a Trigger family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, please avoid using devices with a DisplayLink or Fresco family chipset.
MTBF	200,000 Hours
Connector A	USB Type-A (4 pin) USB 2.0
Connector B	DVI-I (29 pin)
OS Compatibility	Windows 11
	Windows 10 (32/64)
	Windows 8 / 8.1 (32/64)
	Windows 7(32/64)
	Windows Vista (32/64)
	Windows XP (32/64)
System and Cable	System Processor: Quad Core 2.4GHz (i5 recommended)
Requirements	System Memory: 4GB
Note	This USB video adapter uses a Trigger family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, avoid using devices with different family chipsets, such as DisplayLink or Fresco Logic
	Connect a maximum of five USB video adapters on a single computer. Support for multiple adapters will vary depending upon your system resources
	This USB video adapter is not intended for graphical intensive applications, such as gaming
Operating Temperature	-10C to 55C (14F to 131F)
Storage Temperature	-25C to 75C (-14F to 167F)
Humidity	<85% RH non condensing
	Connector A Connector B OS Compatibility System and Cable Requirements Note Note

Physical Characteristics



	Color	Black
	Material	Plastic
	Cable Length	19.7 in [50 cm]
	Product Length	3.5 in [88.0 mm]
	Product Width	2.1 in [52.5 mm]
	Product Height	0.7 in [18.0 mm]
	Weight of Product	3.8 oz [108.0 g]
Packaging Information		
	Package Length	8.4 in [21.3 cm]
	Package Width	5.7 in [14.6 cm]
	Package Height	1.6 in [40.0 mm]
	Shipping (Package) Weight	10.7 oz [304.0 g]
What's in the Box		
	Included in Package	USB to DVI adapter
		DVI to VGA adapter
		driver and software CD
		instruction manual

*Product appearance and specifications are subject to change without notice.

