

USB 3.0 to DisplayPort Adapter - DisplayLink Certified - 4K 30Hz

Product ID: USB32DP4K



Want to add 4K Ultra HD video to your computer system? Now, you can enjoy the picture quality of Ultra HD video, even if your system doesn't natively support 4K video output. With an additional 4K monitor connected to your computer, you can extend or mirror your desktop for increased productivity. DisplayLink 4K Plug-and-Display certification ensures automatic driver installation, so you'll be ready to enjoy your Ultra HD display in no time.

Now you can connect a 4K HDTV, monitor or projector to your computer, even if your laptop or desktop video card doesn't natively support 4K output. The USB32DP4K USB to DisplayPort 4K adapter lets you extend or mirror your primary display onto an Ultra HD monitor or television, giving you the additional screen space you need to simplify multi-tasking and maximize your productivity.


At four times the resolution of high-definition 1080p, you'll be amazed at the picture quality of a 4K monitor or television; the USB32DP4K lets you harness the impressive bandwidth capability of a USB 3.0 connection to deliver the astonishing quality of Ultra HD to your 4K display. Plus, the adapter is backward compatible with 1080p displays, which makes it a great accessory for home, office or other workspace applications.

Installation has never been easier. When you connect this DisplayLink 4K Plug-and-Display certified adapter to a web-enabled Windows 7, Windows 8, Windows 10 or Windows 11 computer, it automatically downloads and installs the most up-to-date drivers for you, so you won't have to.

The USB32DP4K is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility





Applications

- Connect a 4K television, monitor or projector to your computer system
- View large or multiple spreadsheets across multiple displays
- Increase productivity by running multiple applications on different displays; check your email on one display while editing a document on the other

Features

- Add Ultra HD 4K video support to your computer system through an available USB 3.0 port
- Astonishing picture quality with support for resolutions up to 4K
- DisplayLink 4K Plug-and-Display certified - automatic driver installation and updates
- USB 3.0 host connection provides maximum bandwidth for 4K Ultra HD output
- USB-powered performance - no additional power supply required
- NOTE: This adapter will not work with macOS (v 10.13.4-6). We recommend users update to 10.14 or later to ensure compatibility with DisplayLink

Hardware

Warranty	2 Years
AV Input	USB 3.0
Ports	1
AV Output	DisplayPort
Audio	Yes
USB Pass-Through	No
Memory	1GB

Chipset ID DisplayLink - DL-5500

Performance

Maximum Digital Resolutions	4K x 2K @ 30Hz
Supported Resolutions	Widescreen(16/32 bit): 3840x2160, 2048x1152, 1920x1200, 1920x1080, 1680x1050, 1366x768, 1280x800, 1280x768, 1280x720 Standard(16/32 bit): 1600x1200, 1400x1050, 1280x1024, 1024x768, 800x600, 640x480
Wide Screen Supported	Yes
Audio Specifications	2-channel stereo
General Specifications	This USB video adapter uses a DisplayLink family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, please avoid using devices with a Trigger or Fresco family chipset.

Connector(s)

Connector A	1 - USB Type-A (9 pin, 5 Gbps)
Connector B	1 - DisplayPort (20 pin)

Software

OS Compatibility	Windows XP (32-bit), Vista, 7, 8, 8.1, 10, 11 macOS 10.6 - 10.12, 10.14 - 10.15, 11.0, 12.0 Ubuntu 18.04, 20.04 Chrome OS v55+
------------------	---

Special Notes / Requirements

System and Cable Requirements	System Processor: Quad Core 2.4GHz (i5 recommended) System Memory: 4GB
Note	Only one USB video adapter is supported per computer This USB video adapter is not intended for graphical intensive applications, such as gaming



Power

Power Source USB-Powered

Environmental

Operating Temperature 10C to 40C (50F to 104F)

Storage Temperature -10C to 80C (14F to 167F)

Humidity <85% RH Non-Condensing

Physical Characteristics

Color Black

Material Plastic

Cable Length 2.5 in [63.5 mm]

Product Length 3.5 in [90 mm]

Product Width 1.8 in [45 mm]

Product Height 0.6 in [1.5 cm]

Weight of Product 2.1 oz [60 g]

Packaging Information

Package Length 8.3 in [21.1 cm]

Package Width 5.7 in [14.4 cm]

Package Height 1.5 in [38 mm]

Shipping (Package) Weight 7.2 oz [204 g]

What's in the Box

Included in Package 1 - USB 3.0 to DisplayPort Video Card

1 - Software Installation Disc

1 - Instruction Manual

**Product appearance and specifications are subject to change without notice.*

