

Mini HDMI to VGA Adapter Converter for Digital Still Camera / Video Camera - 1920x1080

**Product ID:** MNHD2VGAE2



The MNHD2VGAE2 HDMI Mini HDMI to VGA adapter/converter actively converts an HDMI Mini source video signal from your digital camera or tablet PC, onto a VGA projector or display. The adapter supports full 1080p resolutions, making it a convenient choice for applications requiring high-definition capability. The Mini HDMI to VGA adapter is intended for displaying user generated content such as presentations, documents, and work sheets onto a VGA projector or monitor.

The HDMI Mini/VGA adapter features a compact design, with no need for an external power source, which ensures a compact and portable solution that is easy to carry as an accessory .

Backed by a StarTech.com 3-year warranty and free lifetime technical support.

## Certifications, Reports and Compatibility

## Applications

- Connecting HDMI Mini-enabled devices such as your digital camera or tablet PC to a VGA projector or display

## Features

- Supports a maximum resolution of 1920x1080 (1080p)
- No external power adapter required

---

### Hardware

Warranty

3 Years

|                           |                 |
|---------------------------|-----------------|
| Active or Passive Adapter | Active          |
| Ports                     | 1               |
| AV Input                  | Mini HDMI       |
| AV Output                 | VGA             |
| Audio                     | No              |
| Industry Standards        | High Speed HDMI |

---

#### Performance

|                             |                          |
|-----------------------------|--------------------------|
| Maximum Analog Resolutions  | 1920x1080                |
| Maximum Digital Resolutions | 1920x1080                |
| Supported Resolutions       | 1920x1080 (1080p) @ 60Hz |
| Wide Screen Supported       | Yes                      |
| MTBF                        | 1,754,784 hours          |

---

#### Connector(s)

|             |                                  |
|-------------|----------------------------------|
| Connector A | Mini HDMI (19 pin)               |
| Connector B | VGA (15 pin, High Density D-Sub) |

---

#### Environmental

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0C to 60C (32F to 140F)      |
| Storage Temperature   | -10C to 70C (14F to 158F)    |
| Humidity              | 40% to 85% RH Non-Condensing |

---

#### Physical Characteristics

|                |                  |
|----------------|------------------|
| Color          | Black            |
| Material       | Plastic          |
| Cable Length   | 7.9 in [20 cm]   |
| Product Length | 8.0 in [20.3 cm] |
| Product Width  | 1.6 in [40.0 mm] |



Product Height 0.6 in [15.0 mm]

Weight of Product 1.2 oz [32.7 g]

---

**Packaging Information**

Package Length 8.7 in [22.0 cm]

Package Width 7.7 in [19.5 cm]

Package Height 1.2 in [30.0 mm]

Shipping (Package) Weight 1.2 oz [33.0 g]

---

**What's in the Box**

Included in Package Mini HDMI to VGA Converter Adapter

---

***\*Product appearance and specifications are subject to change without notice.***

