

## Travel A/V Adapter: 3-in-1 Mini DisplayPort to VGA DVI or HDMI Converter

### Product ID: MDP2VGDVHD



This travel adapter lets you connect your mDP enabled Ultrabook or laptop computer to any VGA or HDMI display.

Backed by rigorous testing to ensure compatibility, the 3-in-1 Mini DisplayPort adapter is the perfect accessory for any of your Microsoft Surface Pro devices that are equipped with mDP.

Why carry multiple adapters when you only need one? Instead of keeping three different adapters on-hand, the mDP travel adapter offers VGA, DVI and HDMI outputs, so you'll be able to connect from your laptop mDP output to any modern boardroom or classroom display -- an ideal plug-and-play solution for BYOD (Bring Your Own Device) applications at the office.

Plus, because the converter supports video resolutions up to 1920x1200 or 1080p you can convert a Mini DisplayPort video source to HDMI, VGA or DVI without sacrificing video quality.

The travel A/V adapter maximizes portability with a small footprint and lightweight design. The convenient design ensures the adapter is as portable as your laptop, fitting easily into your laptop bag or carrying case and eliminates the need to carry more than one adapter. With this adapter you can walk into virtually any boardroom ready to present, making a great first impression, and saving you the embarrassment of having to rummage through your bag looking for the right connector.

The 3-in-1 converter is compatible with the Intel Thunderbolt port on your computer and installs easily with no software or drivers required.

The MDP2VGDVHD is backed by a 3-year StarTech.com warranty and free lifetime technical support.

# **Certifications, Reports and Compatibility**

**Applications** 



- Keep the adapter with you while traveling, to connect to virtually any display you come across
- Connect your BYOD laptop/Ultrabook to a provided HDMI, DVI, or VGA display at work
- Connect a DVI, VGA, or HDMI display to your Mini DisplayPort laptop, to use as a secondary monitor

## Features

- Three-in-one adapter mDP to VGA, mDP to HDMI and mDP to DVI
- Support for video resolution up to 1920x1200/1080p
- Plug-and-play installation
- Compatible with Intel Thunderbolt devices that are capable of outputting a DisplayPort signal
- Small footprint
- Lightweight design

Hardware		
	Warranty	3 Years
	Active or Passive Adapter	Active
	AV Input	Mini DisplayPort - 1.2
	AV Output	DVI-D - Single-Link
		HDMI - 1.4
		VGA
	Audio	Yes
Performance		
	Maximum Cable Distance To Display	49.9 ft [15.2 m]
	Maximum Analog Resolutions	1920x1200/1080p
	Maximum Digital Resolutions	1920x1200/1080p
	Wide Screen Supported	Yes
	Audio Specifications	DVI - No Audio Support



		HDMI - 7.1 Channel Audio
		VGA - No Audio Support
Connector(s)		
	Connector A	Mini-DisplayPort (20 pin)
	Connector B	HDMI (19 pin)
		VGA (15 pin, High Density D-Sub)
		DVI-D (25 pin)
Special Notes / Requirements		
-	Note	Only one video output is supported on the video adapter at a time. Ifmultipleconnections aremade, only one of the outputs will function.
		The HDMI port is a passive port.
		The DVI-D is a passive port.
		The VGA port is an active port.
		Maximum Cable Distance to Display refers to digital video. VGA distance capabilities are dependent upon the quality of your cabling
Environmental	Operating Tomperature	00 to 450 (22E to 112E)
	Operating Temperature	0C to 45C (32F to 113F)
	Storage Temperature	-10C to 80C (14F to 176F)
	Humidity	10~85% RH
Physical Characteristics		
	Color	Black
	Cable Length	5.9 in [15 cm]
	Product Length	10.6 in [27.0 cm]
	Product Width	1.8 in [45.0 mm]
	Product Height	0.6 in [15.0 mm]
	Weight of Product	2.0 oz [57.0 g]



#### Packaging Information

Innormation		
	Package Length	8.7 in [22.0 cm]
	Package Width	7.9 in [20.0 cm]
	Package Height	0.7 in [18.0 mm]
	Shipping (Package) Weight	2.3 oz [66.0 g]
What's in the Box		
	Included in Package	Mini DisplayPort to HDMI/VGA/DVI Adapter
		Installation Guide

\*Product appearance and specifications are subject to change without notice.

