19'' 4 PORT VGA KVM DRAWER

BRAND : PRITECH PART NO. : PA-XL1904



OVERVIEW

PA-XL1904 KVM console features an integrated 19" LCD screen, keyboard and touchpad in a single console that occupies only 1U of rack space. It allows access and control up to 4 computers from a single console (keyboard, mouse and monitor). The number of connected computers can be increased up to 128 by daisy-chaining up to 31 KVM Switches.

The PA-XL1904 KVM switch has a built-in LCD monitor that supports resolution up to 1280×1024@60Hz. Switching between computers can be easily accomplished by front panel pushbuttons, keyboard hotkey combination or on-screen-display(OSD).

The LCD KVM switch supports USB connection for the computers. An extra HDB15 port allows an additional VGA monitor to be connected.

FEATURES

HARDWARE FEATURES

- Integrated KVM console with 19" LCD monitor, keyboard/touchpad and 4 port KVM switch in a 1U height console
- Standard VGA connection-Connect to a server or computer via standard VGA connectors
- LCD module can be opened up to 108 degrees to provide a comfortable viewing angle
- Support computers with USB keyboard and mouse

MANAGEMENT

- Convenient computer switching via front panel LEDs, keyboard hotkey combination or on-screen-display (OSD)
- Auto scan feature for monitoring user-selected computer
- Broadcast mode-operations simultaneously performed on all selected computers
- Hot pluggable –add or remove computers without having to power down the switch
- Quickly select your computer by naming the server or inputting SN number of the server
- On-Screen Display (OSD) adjustments-Adjust the on-screen image, including: auto adjust, exit, power on/off, brightness, and menu

HIGH RESOLUTION

- 19" TFT LCD monitor with highlight, high definition and high resolution
- Resolution is up to 1280 x 1024 @60Hz

SECURITY

- Two level password security–only authorized users view and control computers
- Supports one administrator and four user accounts with a separate profile for each

HIGH PERFORMANCE TOUCHPAD

• Touchpad with scroll wheel – Eliminates the need for a separate, external mouse.

KEYBOARD


- Multi-language support–English, Russian, German, French, UK and Spanish, etc.
- Full size 99 keys keyboard with integrated number pad

WIDE COMPATIBILITY

- Multiplatform Support-Compatible with Windows, Sun, Unix and Linux
- Supports servers form Lenovo, HUA WEI, HP, IBM, Cisco and Dell, etc.

SPECIFICATIONS		
Model		PA-XL1904
COMPUTER CONNECTIONS	Direct	4
	Max	128
PORT EMULATION	Keyboard, mouse	USB
LCD MONITOR	LCD model	SXGA TFT
	View area	19"
	Optimum resolution	1280×1024@60Hz
	Display colour	16.7 M
	Brightness	250cd/m ² (Typ)
	Contrast ratio	1000:1 (Typ)
	Pixel pitch(mm)	0.2928(H) × 0.2928(W)
MOUSE	X/Y resolution	>1000 points /inch, (40 points/mm)
	Touchpad	Eliminates the need for an external mouse
KEYBOARD		99 keys (82 keys main keyboard +17 independent small numeric keyboard)
PORT SELECTION		pushbuttons, hotkeys, OSD menu
INPUT POWER		100V- 240Vac, 50-60Hz, <1.5A
POWER CONSUMPTION		20W
OPERATING TEMPERATURE		0—50 °C
STORE TEMPERATURE		-20—60 °C
HUMIDITY		0—80% RH, non-condensing
NET WEIGHT		13.2kg
PRODUCT DIMENSION (W × D × H)		448mm×605mm×42.5mm
PACKAGE DIMENSION (W × D × H)		765mm×615mm×185mm

DIAGRAM



PRITECH AUTOMATION PRIVATE LIMITED



: +91 79 27702711, 09714854011

: sales@pritechautomation.com

WEBSITE

PHONE

EMAIL

: www.pritechautomation.com



